PRODUCT CATALOGUE







Brisk made a humble beginning over past 5 decades & is now innovating forward with leading technology manufacturers & solution providers for various electronics, electromechanical & automation industry.

Our extensive portfolio that spans the entire technology landscape helps customers create, make and manage forward-thinking products that make the benefits of technology accessible to as many people as possible.

Technology's next innovation is out there, somewhere. It may just be scribbles somewhere right now, a possibility on paper. But tomorrow, it could change the world – with a little help from Brisk.

Today, we can design, make, supply and deliver for customers of every size. Whether your product is still a notion on a piece of paper or at mass production or at any point in between.

Brisk combines the agility needed to get to market first with close-knit relationships with technology's most trusted global companies. Turning ideas, no one has heard of into products that everyone knows.

#### INNOVATION

Brisk continues to keep pace with technological changes in the Industry by delivering products and services of tomorrow - today.

#### **EXCELLENCE**

In all our work, we strive to achieve excellence in meeting trust, confidence, credibility with highest standard of ethics, as always.


#### **PASSION**

Our passion has always been to be the leading solution provider for electronics, electromechanical and industrial automation & control by meeting and surpassing customers' expectations.

# Why you should partner with us

Brisk is more than a distributor of products and a recognized leader in customized services & solutions.

We are an innovator dedicated to engaging our customers with next generation products & value engineering we offer, enabling them in sustaining their cost competitiveness.



In short, you should partner with us because we are a trusted partner to many of today's leading manufacturers who rely on our expertise to deliver creative solutions, a competitive advantage and financially measurable value to their business.

# Contents

## www.briskelectro.in

India Limited	Miniature PCB Relays (PCB Signal Relays & PCB Power Relays), Panel Plug-in Relays, Sockets & Accessories, Switches4-5
<b>⇔PEC</b>	Blade Fuses, Slow Blow Fuses, Electric Vehicle (EV) Fuses, Multi Slow Blow Fuses, Battery Terminal Fuses, Fuse-Related Accessories, Radiall & Surface Mounting Resettable Fuses
Amphenol APP FCi	Board to Board & Board to Wire, Backplane Connectors, I/O Connectors, Terminal Blocks, Automobile Connectors, Power Connectors
Amphenol Radiall	Cicular Connectors, Audio Connectors, Electric Vehicle (EV) Connectors, Heavy Duty Connectors, Radio Frequency Connectors
PHŒNIX	Terminal blocks, PCB Terminal Blocks, PCB Connector, Surge Protection, Electro Mechanical & Solid-State Relays, Safety Relay Modules, Timer Relay, Power Supply units & UPS, Signal Conditioner, Marking & Labeling, Sensor/actuator cabling, PLC & I/O - Intelligent Automation systems, Industrial Ethernet Switches, HMI & industrial PCs, Heavy Duty Connectors, Tools, Lugs & Accessories, Distribution Blocks, Charging Solutions
PARTEX MARKING SYSTEMS	Wire markers, cable markers, component markers, Labels, Cable Accessories, Marking solutions
FIBOX	Enclosures & Accessories
azbil	Measurement Sensors, Proximity Switches, Photoelectric Switches, Measurement Sensors, Proximity Switches, Photoelectric Switches, Flame Safeguard Products, Temperature Controller, Recorder & Indicator, Gas Flow Measurement & Control Products
STEGO brother	Heaters, Fan Heaters, Filter Fans, Regulators, Ideal Lighting & Accessories, Industrial Tube and Label Printer
brisk	Relay Interface Modules, Isolators & Converters, LED Tower Lamps, Junction Boxes & Cable Assemblies





# MINIATURE PCB RELAYS

#### **PCB Signal Relays**

- Relay with compact design
- Current Rating 1A to 16A
- Contact Configuration 1C/2C, 1A/2A
- Coil Voltages 5VDC 48 VDC

### **PCB Power Relays**

- High Reliability with compact designs
- Current Rating 5A to 40A
- Contact Configuration 1C/2C, 1A/2A
- Coil Voltages 6 115 VDC, 12 230 VDC





# PANEL PLUG-IN RELAYS

#### **Power Relays**


- Available with LED Indicators, test lever and optional
   Free Wheeling Diode
- Current Rating 5A 30A
- Contact Configuration 1C/2C/3C/4C & 1Z
- Coil Voltages Range 6VAC 230VAC and 12VDC 220VDC

#### **High Power Relays**

- Current Rating 10A 40A
- Contact Configuration 1C/2C/3C & 4C
- Wide Range of AC/DC Coil Voltgages

# SOCKETS & ACCESSORIES

Wide range of DIN Rail mountable, PCB mountable sockets. Sockets with LED Indicators







# **SWITCHES**

Available in AM Type, J/JC Type , OM Type, Lorlin CK Type and DIP Switches















# **AUTOMOTIVE FUSES**

#### **Blade Fuses**

- Economical & Compact Automotive Fuses
- Mini & Low profile versions available upto 30 Amps











### **Slow Blow Fuses**

- Slow Blow Fuses as a technology that prevents fuses from blowing immediately when being exposed to high current load
- Light Weight and Reliable Fuses available in Plug-In & **Bolt Type**

## **Electric Vehicle (EV) Fuses**

- EV Fuses for vehicles with high-current circuits to meet the needs of hybrid vehicles & EVs
- High Voltage Fuses with excellent durability properties











#### **Multi Slow Blow Fuses**

- Multi-Pole Slow Blow Fuses through its unique technology to respond to calls for comprehensive miniaturization of multi circuits
- Available from 2 circuits upto 11 circuits

## **Battery Terminal Fuses**

- Integrated multiple fuse circuits with battery terminal
- Possibilities of direct attachment onto the battery





**Short Pins** 



#### Fuse-related accessories

# Fuse Holder













**Fuse Pullers** 



## Radiall & Surface Mounting Resettable Fuses

- Radiall leaded PPTC
- SMD PPTC
- Operating current: 2.5 to 14 Amps













# Electromechanical Connectors

## **BOARD TO BOARD & BOARD TO WIRE**

- Flat Ribbon Connectors (FRC)
- Unshrouded Headers & Receptacles
- Dubox
- Minifit
- Berg Stack
- MiniPower
- MicroPower
- Relimate Connectors
- FFC/FPC Connectors
- IC Sockets
- Card Edge Connector





# BACKPLANE CONNECTORS

- DIN 41612
- 5159 Power Euro
- Metral/Millipacs (High Speed Connectors)

# I/O CONNECTORS

- SD Card / Micro SD
- D-Sub / High Density
- USB
- Modular Jack (RJ)
- HDMI Connectors
- Smart Card






# Electromechanical Connectors

## TERMINAL BLOCKS

- Pluggable & Fixed
- Rising Cage Clamp Contacts
- Signal & Power
- Barrier Terminal Blocks





## **AUTOMOBILE CONNECTORS**

- Infotainment
- Customised Solutions
- Contacts / Terminal (Stamped / Plated Solutions)






# POWER CONNECTORS

- Storage Battery Connectors
- Power Pole Connectors
- Euro Battery Connectors
- Power Clips
- Power Drawers
- SPEC Pak Connectors





# INDUSTRIAL & STRATEGIC ELECTRONIC CONNECTORS

#### **Cicular Connectors**

- 62IN Series
- MS Series
- 97 & 97B Series
- Series III D38999 MIL Grade

## **Audio Connectors**

■ 164 Series connector

## **Electric Vehicle (EV) Connectors**

■ EV Series Power Connectors

## Heavy Duty Connectors heavy mate\*

- No. of Poles 3 to 108
- Current Rating 10 Amps to 200 Amps







# RADIO FREQUENCY CONNECTORS

## RF Microwave Switches & Antennas

■ MS Series

## **RF Coaxial Connectors**

■ Signal & Power Circular Connector

## Signal & Power Circular Connector

■ Solutions for Railways & Electric Vehicles

## **RF Cable Assemblies**

■ 164 Series connector







# Device & Connection Technology

## TERMINAL BLOCKS

- Racing up to 353A/1000V
- Screw & Bolt connection
- UL/CE Approved
- Material:PA 6.6



Push-in connection technology






Screw connection technology



Spring-cage connection





# PCB TERMINAL BLOCKS

- For conductor cross sections from 0.14 mm² (AWG 26) to 95 mm² (AWG 3/0)
- Connection Technologies Spring / Screw / IDC

## PCB CONNECTOR

- For conductor cross sections from 0.14 mm² (AWG 26) to 35 mm² (AWG 2)
- For pitch from 2.5mm to 15mm

# SURGE PROTECTION

- AC SPD:Type-1, Type-2, Type-3
- Communication SPD:Ethernet RJ45 (POE)/RJ 485,D-SUB-9
- Standards: IEC 61643-11/EN 61643-11/IEC 61643-21
- Tested and Certified as per Standard











# ELECTRO MECHANICAL & SOLID-STATE RELAYS

- Contact Arrangement up to 4 PDT Relay
- Rating up to 10A/230 AC/DC
- Built-in protection
- Mechanical Position Indicator







# SAFETY RELAY MODULES

- Safe coupling relays
- Configurable safety modules
- Safety switches
- Performance level e in accordance with ISO 13849 and SILCL 3 in accordance with IEC 62061
- Safety relays with overall width starting from 6 mm, and a minimum of one enabling path make them suitable for modular safety concepts

# TIMER RELAY

- Universal Time Delay
- Time Setting Range from milliseconds to 10 hours
- Conveniently settable from front of Housing
- Compact Design





11





# Automation Solutions

## POWER SUPPLY UNITS & UPS



ideally suited for simple application



quint power maximum functionality with SFB technology



TRIO POWER robust with standard functionality



UNO POWER compact with basic functionality

### **Quality Features**

■ AC or DC Input: Single-Phase, 3 Phase

■ DC Output: Power upto 1000W

■ Power: 24VDC up to 960W

■ Voltages: 5, 12, 15, 24, 48 VDC

- DIN Rail mountable with fanless cooling
- CE, UL, EAC Approved



Fast installation
The pre-mounted DIN rail
adapters enable easy and
fast DIN rail mounting.



Fan-free convection cooling
You can achieve a higher availability
of your systems with the ESSENTIAL
POWER power supply, thanks to its
fan-free convection cooling.



## For universal use

The devices can be used worldwide, thanks to their international approval package and their wide range input.

# SIGNAL CONDITIONER

- 3-way signal isolation
- Wide range signal acceptability
- Compact Design: Just 6mm width
- Easily Configurable



## MARKING & LABELING

- Wipe resistance as per DIN EN 61010-1
- Temperature: -40°C to +120°C
- Material: PC
- Inflammability Class: V2



## SENSOR/ACTUATOR CABLING

- Rating up to 4A/250 AC/DC
- Protection: IP 65
- Available in M8 & M12, 3 & 4 pins
- Versions with Straight/Angled,PUR/PVC







# **Smart Industrial Solutions**

## PLC & I/O - INTELLIGENT AUTOMATION SYSTEMS

## I/O Systems

- For IP 20 & IP65 degree of protection
- Combine I/O flexibility
- Optimum automation solutions for Control cabinet
- PLC's I/O systems & PLC software

#### **PLC**

- PLC in all performance classes
- Works with preferred programming language
- IEC 61131-3
- PLCnext control via cloud connection









# INDUSTRIAL ETHERNET SWITCHES

- Managed & Un-managed switches
- Wireless Ethernet
- Media Converter

# HMI & INDUSTRIAL PCs

- Design, quality & services from HMI (Human Machine Interface)
   & powerful industrial PCs with custom solutions for industrial requirements
- High quality hardware
- Fast start-up
- Customized solutions









# **HEAVY DUTY CONNECTORS**

- Device connectors & cable connectors
- Metric threads from M5 to M58
- DC & AC solutions
- Modular connectors for signal, data & power
- IP20 to IP69K degree of protection







# Automation Solutions

**TOOLS** Hand tools for cutting, stripping, crimping, screwing, and measuring: the TOOL fox range of tools features hand tools for all applications in electrical engineering.















■ Cutting & Universal Tools ■ Stripping Tools ■ Crimping Tools ■ Screwdrivers & Cordless Screwdrivers ■ Testing & Measuring ■ Tool Sets

# **LUGS & ACCESSORIES**

- Ferrules
- Ring Cable Lugs
- Fork Cable Lugs
- Pin-Type Lugs
- Flat-Type Lugs
- Slip-On Sleeves
- Butt Connectors



# DISTRIBUTION BLOCKS

- PT Fix Distribution Blocks
- PT Busbar Terminal Blocks
- Combi-Disconnect



## CHARGING SOLUTIONS E-Mobility empowered by Phoenix Contact









■ Connect ■ Manage ■ Control ■ Protect



# Marking Solutions

# **WIRE MARKERS**



Single-character markers closed marker.



PTZ+

Halogen free, PA type sleeve with oval, transparent pocket for marker tags.



Single-character markers open marker.



PHZ / PHZF

Heat-shrink tubing for thermal transfer printers.



PO/POZ

Oval profile for marking wire and cable (POZ - Halogenfree).



**PTC** 

PC type sleeve with oval, transparent pocket for marker tags.



PA type sleeve with oval, transparent pocket for marker tags.

## **CABLE MARKERS**



Transparent holder for cable marking. Mounted on the cable with cable ties.



#### PO/POZ

Oval profile for marking wire and cable (POZ - Halogen-



PK+

Single-character markers mounted on PO - or PK -holders.



PHZ / PHZF

Flat, halogen free heat shrink for thermal transfer printers.



Flat and flexible cable marker.




PZ - Single Character

Closed wire marker, straight cut.



ProSleeve ladder format printable cable marker.



# COMPONENT MARKERS



**PFC** 

Marker tags in credit card format



**TX - Terminal block markes** 

Markers for terminal blocks of different manufacturers



PP+/PPA+

Flat profile inserted into markers or mounted terminal blocks (PPA+ - Selfadhesive).



**PS - Component markers** 

Universal markers for marking modular and electrical components.



# Marking Solutions

LABELS

Partex offers various types of labels available in Vinyl / Polyester / Acrylic / PE / PP / Paper & PU version of material



## CABLE ACCESSORIES



Cable Ties & Tie Base
Halogen-free cable ties
Metal detectable cable ties
Stainless Steel cable ties



Crimp Terminals
Insulated Terminals
Tabs & Push Ons
Cord End Ferrules



Protection Sleeves
Heatshrink Sleeves
Spiral Tubes



Tools
Strippers & Cutters
Terminal Crimpers
Cable Tie Tensioner

# MARKING SOLUTIONS

Professional marking equipment for designing and making markers. Portable printers are perfect for ongoing service works and use on sites, where the built-in keypad will enable you to make the marker necessary in no time. Larger machines are intended for desktop use and for advance production of the required markers.



PRO Mark T1000



MK10 / EOS1&2



**Ribbons & Accessories** 



# Enclosing Innovations

## CAB WITHSTANDS SUDDEN IMPACTS

- Think of the harshest and most demanding environments –
   CAB will not let you down. It will resist weathering and take the knocks better than steel. A wide selection is available.
- GRP (CAB PX): IP 65; IK 10 (grey door) IP 55; IK 07 (glazed door)
- GRP (CAB P): IP 66; IK 10 (grey door), IK 07 (glazed door)
- PC: IP 65; IK 08 ABS: IP 65; IK 08
- Dimensions of CAB PC/ABS range from 150 x 150 x 110 mm to 600 x 400 x 220 mm.
- Dimensions of CAB P range from 315 x 215 x 170 mm to 1030 x 835 x 300 mm.
- Dimensions of CAB PX range from 500 x 500 x 320 mm to 1250 x 1000 x 320 mm.









Adjustable depth for front panel

Latch & lock

PX models; multiple closing options



Wide opening hinges +180° for easy access for easy access for easy access for easy access

Wide accessory selection

## **SOLID** SOLID PROTECTION

- Solid is the superb all-rounder, both in and out of doors. If you need general protection, in everyday environments, Solid may be the all-purpose solution you are seeking for electronic and electrical components.
- PC: IP 66/67; IK 08 (side surface), IK 09 (front surface)
- ABS: IP 66/67; IK 08
- Dimensions of PC/ABS range from 188 x 188 x 130 mm to 558 x 378 x 180 mm.

## MNX OFFERS HUGE OPTIONS

- This range offers over 260 versions. Choose MNX if you have a large product family that needs to be housed in matching enclosures with the minimum of fuss, no matter the environment or installation height. For the protection of electrical and electronic components of all kinds.
- PC: IP 66/67; IK 08
- ABS: IP 66/67; IK 07
- Dimensions range from 100 x 100 x 35 mm to 360 x 255 x 152 mm.



Recess area for membrane keypads

PCM versions: knock-outs moulded in place for easy wiring





# **Enclosing Innovations**



## **EK** FOR MODULAR FLEXIBILITY

- Because EK enclosures are fully modular, this range stretches to fit, from a single module to extensive enclosure panels. EK comes in a large size range, with various depths and a host of accessories.
- PC: IP 66/67; IP 65 FSH; IK 08 (side surface);
- IK 09 (front surface)
- Dimensions range from 190 x 190 x 130 mm to 760 x 560 x 250 mm.

## ARCA IEC SERIES

- Superior performance and security in most demanding environments. Easy to use. Quick to install. All this is driven by innovation and market driven product development. ARCA is a viable and cost effective alternative to sheet steel cabinets being installed in harsh and demanding environments. In a nutshell, ARCA has all the features of steel but benefits of high grade thermoplastic.
- Dimensions range from 200 x 300 x 150 mm to 800 x 600 x 300 mm.
- PC: IP 66; IK 10; EN/IEC 62208, EN/IEC 61439-1-4







Quick locking cover screws for fast access to components



Adjustable depth for front panel



Swing door

## QUICK FOR HARSH INDUSTRIAL AND OUTDOOR ENVIRONMENTS

These smart, modern enclosures are so-named after their quick-screw covers. They're easy to close and open, but offer good protection against tampering. A large range of accessories is available.

PC: IP 66/67; IK 08 ABS: IP 66/67; IK 08

Dimensions range from 300 x 200 x 170 mm to

600 x 400 x 270 mm.

# GENERAL ACCESSORIES

Even the best enclosure may need a little extra, to be of maximum value in its chosen environment. Among many other benefits, our huge range of accessories will allow your components to be seen, ventilated or withstand pressure differences.



inspection Windows



Ventilation Devices



Accessories can be fitted to all enclosures & cabinets





# **Decentralised Automation**

## **SENSORS**

#### **Measurement Sensors**

■ Long distance Laser Measu rement Sensors

#### **Proximity Switches**

■ Sensors with a spatter and slag-proof coating ■ Sensing phase integrated in a SS housing having high shock resistance and superior abresion resistance ■ Built-in EMF noise elimination circuit

#### **Photoelectric Switches**

■ General Purpose self-contained Photoelectric Sensors ■ Improved resistance to interference e.x. Fluorescent Lights ■ Different frequency thru-scan model for stress-free installation ■ Auto adjust button for situation where detection is difficult







## **SWITCHES**

#### **Measurement Sensors**

■ Long distance Laser Measurement Sensors

### **Proximity Switches**

■ Sensors with a spatter and slag-proof coating ■ Sensing phase integrated in a SS housing having high shock resistance and superior abresion resistance ■ Built-in EMF noise elimination circuit

## **Photoelectric Switches**

■ General Purpose self-contained Photoelectric Sensors ■ Improved resistance to interference e.x. Fluorescent Lights ■ Different frequency thru-scan model for stress-free installation ■ Auto adjust button for situation where detection is difficult

## FLAME SAFEGUARD PRODUCTS

- Advanced Ultra-Violet Flame Detectors & Burner Controllers Gas Pressure Switch
- Ignition Transformer & High Power Ignitor





## TEMPERATURE CONTROLLER

- Single & Multi-Loop Controller
- Digital Control Programmer







## **RECORDER & INDICATOR**

- Strip Chart Recorder
- Paperless Recorder





## GAS FLOW MEASUREMENT & **CONTROL PRODUCTS**

- Air Flow Meter
- Gas Flow Motor











# **Thermal Management Products**

## HEATING PROTECTION AGAINST FROST AND CONDENSATION

#### **Heaters**

- PTC Technology
- 5 to 150 W
- AC/DC 120 240 V
- DC 24 and 48 V

#### **Fan Heaters**

- PTC or resistive element
- 100 to 1200 W
- AC 120 and 230 V
- DC 24 and 48 V





# COOLING PROTECTION AGAINST OVERHEATING

#### Filter Fans

- 21 m<sup>3</sup>/h to 550 m<sup>3</sup>/h
- AC 120 and 230 V
- DC 24 and 48 V

# REGULATING CONSTANT MONITORING

## **Regulators**

- Thermostats (adjustable and pre-set temperatures)
- Hygrostats and hygrotherms
- AC and DC versions





# **IDEAL LIGHTING & ACCESSORIES**

- LED or energy saving lamps
- On/Off switch or movement sensor
- Lamps with/without socket
- Country-specific sockets
- Pressure compensation devices

## INDUSTRIAL TUBE AND LABEL PRINTER DESIGNED TO MEET THE DIVERSE NEEDS OF ELECTRICIANS.

















# RELAY INTERFACE MODULES







PLC / DCS **CARDS** 



**SOLID STATE RELAY CARDS** 



**PASSIVE INTERFACE CARDS** 



**CNC INTERFACING SOLUTIONS** 

#### **FEATURES**

- No. of channels 1, 2, 4, 8, 16
- Coil Voltages AC & DC
- Contact Type 1/2 & 4C/o
- Fuse & Snubber Circuits
- Terminations Screw & Screwless



## **ISOLATORS & CONVERTERS**

- DC Voltage & Current
- RTD PT-100 (3/4 Wire) / Thermocouple
- Frequency & looped power
- Interface Converters

# LED TOWER LAMPS

- Foldable Design for easy installation
- I/P 24V AC/DC
- Colour Red/Amber/Green/Blue/Multi
- Available in 1/2/3 Tiers with in-built buzzer









# **JUNCTION BOXES & CABLE ASSEMBLIES**

- Customised JB Solutions
- ACDB / DCBD Boxes
- FAN out assemblies automation
- Customized Cable Assembly Solutions









#### **MUMBAI - HEAD OFFICE**

1st Floor, Unit No. 37/38 Ratna Jyot Industrial Estate, Irla Passage Lane,

Nr Ambe Mata Chowk, Vile Parle - West, Mumbai - 400056

**Tel:** +91-22-26713269 / 26202425 **Email:** sales.mumbai@briskelectro.in

#### **PUNE**

C/o Prajyo Engineering A-47, H Block, opp Devi Indust MIDC, Near Auto Cluster,

MIDC, Pimpri Pune - 411018 Mobile: +91-8291277907

Email: sales.pune@briskelectro.in

## **NASHIK**

Mobile: +91-8291055366

Email: sales.nashik@briskelectro.in

## **AHEMDABAD**

Shed No 61, Gajanan Indl Hub, Opp Ramwadi Way Bridge, Behind Matric Plaza Vatva GIDC Vinzol Ahmedabad - 382445

Mobile: +91-9898868861

Email: sales.ahmedabad@briskelectro.in

## **BARODA**

Mobile: +91-8320291157

Email: sales.baroda@briskelectro.in









+91-22-26713269

+91 9324561657

support@briskelectro.in

www.briskelectro.in